



It's nice to look amazing with so little effort!

Tarkett Carpeting Cleaning, Care & Maintenance

A comprehensive carpet maintenance program should always be followed which will also improve texture retention, appearance, wear life and reduce soiling of carpet.

Regular Vacuuming

- A thorough vacuuming program is essential to the maintenance of carpet and the most effective way to keep your carpet clean. Frequent vacuuming is also the most effective way to dispose of dry soil particles, sand, etc. that can damage carpet fibers. Vacuum high traffic areas daily while twice a week for medium to high traffic areas. And then the entire house at least once a week.

Professional Cleaning

- It is recommended that a minimum of one (1) professional cleaning be done every 18 months using cleaning products, equipment, systems and services specified/certified with the Carpet and Rug Institute Seal of Approval. (Visit www.carpet-rug.org for a complete list of certified products.)

Spot Cleaning Information

- Cleaning equipment such as wet/dry vacuum or portable extraction unit that is used for general carpet maintenance-or is designed specifically for spot cleaning-often is the most effective and efficient way of removing spills.
- NOTE: Wicking, which is the recurrence of stains after spot cleaning, is not uncommon for a concentrated spill. If wicking occurs after a carpet has been cleaned, simply re clean the area using the previously used procedure(s).

Dry Stains

- Gently remove as much of the substance as possible using a small, soft hand brush or spatula to break up any crusted material. Vacuum thoroughly to remove loosened particles.

Wet Stains

- Blot with absorbent white cloth or paper towel, or use spatula to remove excess, then blot. For larger spills, a portable extraction unit or wet/dry vacuum is most effective for removing spilled liquids.

Suggested Cleaning Agents

Detergent Solution

- Commercially available general carpet cleaning or spot-removal detergent.

Ammonia Solution

- Mix 1 tablespoon non-bleaching household ammonia with one cup of warm water. (Note: Do not mix ammonia with chlorine bleach. Follow manufacturer's warnings on mixing ammonia with other chemicals.)

Vinegar Solution

- White vinegar

Clear Alcohol

- Rubbing or Denatured. Use as is.

Dry Cleaning Fluid

- Any non-flammable brand, used according to manufacturer's directions.

Tarkett North America

285 Kraft Drive
Dalton, GA 30721
USA: 800-871-3211
www.tarkettna.com



Tarkett Carpet Product Guide

Tarkett Carpet Product Guide							Warranty Information						
Style	Oz. Weight	Fiber	Twist Level	Density	Pattern Repeat	Stain & Soil Treatments	Category	Stain	Pet	Soil	Abrasive Wear	Texture Retention	Manufacturing Defects
Arabesque T2406	36	100% Solution-dyed Primus® PET Fiber	4.91 TPI	7188	36"W x 51.5"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Atlas T2402	36	100% Solution-dyed Primus® PET Fiber	4.91 TPI	6660	18"W x 21"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Cambria T2404	36	100% Solution-dyed Primus® PET Fiber	4.91 TPI	5944	6"W x 7.25"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Charismatic T2303	48	100% Solution-dyed Primus® PET Fiber	4.91 TPI	6260	18"W x 18"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Crosswalk T2110	50	100% Solution-dyed Primus® PET Fiber	4.91 TPI	6256	18"W x 26"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Florence T2102	38	100% Solution-dyed Primus® PET Fiber	4.91 TPI	4606	18"W x 24"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Milano T2330	38	100% Solution-dyed Primus® PET Fiber	4.91 TPI	5094	36"W x 46"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Noble T2315	36	100% Solution-dyed Primus® PET Fiber	4.91 TPI	5231	36"W x 47.5"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Serene T2340	48	100% Solution-dyed Primus® PET Fiber	4.91 TPI	6689	36"W x 37.75"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Splendid T2201	38	100% Solution-dyed Primus® PET Fiber	4.91 TPI	4669	18"W x 18"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Tuscany T2320	38	100% Solution-dyed Primus® PET Fiber	4.91 TPI	6143	36"W x 36.5"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Verona T2101	38	100% Solution-dyed Primus® PET Fiber	4.91 TPI	4427	18"W x 18"L	3M Scotchgard	Deluxe MLCL	Lifetime	Lifetime	Lifetime	25 Years	25 Years	25 Years
Cadence R3085	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	18"W x 20"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Casa Blanca R8010	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	6"W x 11.25"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Cheyenne R8050	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	12"W x 18.5"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Downy S1070	68	100% Solution-dyed Primus® PET SuperSoft™ Fiber	5.91 TPI	4356	Saxony	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Grant Park R1156	56	100% Solution-dyed Primus® PET-DuraSoft Fiber	4.05 TPI	3072	1"W x 1"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years



Tarkett Carpet Product Guide (Continued)

Tarkett Carpet Product Guide (Continued)							Warranty Information						
Style	Oz. Weight	Fiber	Twist Level	Density	Pattern Repeat	Stain & Soil Treatments	Category	Stain	Pet	Soil	Abrasive Wear	Texture Retention	Manufacturing Defects
Inman Park R1166	66	100% Solution Dyed Primus® PET-DuraSoft Fiber™	4.05 TPI	3622	1"W x 1"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Manhattan R3000	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	0.6"W x 0.75"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Mojave R3020	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	2801	18"W x 26"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Monarch R6600	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	7650	6"W x 5.25"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Mont Blanc R3010	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	1.8"W x 2"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Oxford R3055	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	6"W x 6"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Pasadena R8030	40	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3295	12"W x 18.5"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Santa Fe R8060	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	18"W x 42"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Sedona R3025	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	2801	12"W x 13"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Silhouette R8040	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	12"W x 10.25"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Sterling R3015	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	12"W x 21"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Striation R8020	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	5789	18"W x 23"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Trinity R8070	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	6"W x 6.75"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Wavary R8080	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	6"W x 2"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Westchester R3060	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	12"W x 12"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Windsor R3075	34	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3264	18"W x 20"L	3M Scotchgard	Premium	Lifetime	Lifetime	Lifetime	20 Years	20 Years	20 Years
Candler Park R1148	48	100% Solution-dyed Primus® PET-DuraSoft Fiber	4.05 TPI	2765	1"W x 1"L	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Chandler Heights R1866	56	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3226	N/A	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Charleston R1844	32	100% Solution-dyed Primus® PET Fiber	4.91 TPI	2169	N/A	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years

Tarkett Carpet Product Guide (Continued)

Tarkett Carpet Product Guide (Continued)							Warranty Information						
Style	Oz. Weight	Fiber	Twist Level	Density	Pattern Repeat	Stain & Soil Treatments	Category	Stain	Pet	Soil	Abrasive Wear	Texture Retention	Manufacturing Defects
Chesterfield R1852	43	100% Solution-dyed Primus® PET Fiber	4.91 TPI	2754	N/A	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Rich Loom R3050	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	12"W x 15"L	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Soft Spoken S1068	58	100% Solution-dyed Primus® PET SuperSoft™ Fiber	5.91 TPI	3931	Saxony	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Tender S1048	38	100% Solution-dyed Primus® PET SuperSoft™ Fiber	4.91 TPI	3648	Saxony	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Whisper S1058	48	100% Solution-dyed Primus® PET SuperSoft™ Fiber	5.91 TPI	3687	Saxony	Standard Built In Soil & Stain	Mid-Range	Lifetime	Lifetime	7 Years	15 Years	10 Years	20 Years
Bar Harbor R3035	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	2.0"W x 2.75"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Barrington R8100	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	4193	0.6"W x 0.75"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Beaumont R2032	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	12"W x 15.5"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Crystal Bay R8200	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	4193	0.6"W x 0.75"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Del Rio R6200	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	2"W x 2.75"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Key West R3035	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	6"W x 1.5"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Pacific Heights R3028	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	0.9"W x 1.5"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years
Tucson R3032	26	100% Solution-dyed Primus® PET Fiber	4.91 TPI	3000	12"W x 15"L	Standard Built In Soil & Stain	Basics	Lifetime	Lifetime	7 Years	10 Years	5 Years	10 Years

Tarkett North America

285 Kraft Drive | Dalton, GA 30721 | USA: 1-800-871-3211

www.tarketta.com

©2020 Tarkett North America 08/2020